



WATER

Patented technologies
for water treatment
and saving

Catalog 2022



WATER. BASIC SOURCE OF LIFE

Water is the basic source of life. Even if it is not traded on the stock exchange, we probably do not exaggerate when we say that water is the most precious commodity. Our goal is to protect this precious fluid and bring it to our customers in the best quality.

Let the Water Flow



Ondřej Sochor

Partner – CEO
Swiss Aqua Technologies AG

Water together with air, resp. Earth's atmosphere, form the basic conditions for the existence of life on Earth. Most of the Earth's surface (71%) is covered by the salt water of the seas and oceans, which make up 97% of the entire water on our planet.

It might seem that we already know everything about water, but in recent decades a number of revolutionary findings have emerged that completely change the perception of water from a chemical formula to a rather living organism. These are the results of research by Professor Masaru Emoto (water perceives emotions), Gerald H. Pollack (4th state of water), Viktor Schauburger (water is a living organism), M. V. Kurik (water energy) or L. Montagnier (water has memory).

Our technologies use a tiny part of this new knowledge and we are constantly working to get to know water better and better, and we are implementing this new knowledge into future generations of our products. If our catalog or our products inspire you to read or view something about water on the Internet, then our work made sense.



Ion Polarization System

8-19

Ion Polarization System



IPS KalyxX RedLine



IPS KalyxX BlueLine



IPS KalyxX GreenLine

IPS KalyxX Industry

IPS WashBall



8-9

10-11

12-13

14-15

16-17


18-19

Optim Flush System

20-21

Optim Flush System

OFS Toilet



20

21

Water Care System

22-23

Wellness Shower



22-23

Home Filter

24-25



Swiss Aqua Technologies

About SAT

Contacts

Certificates & Awards

6-7

106

107

Taps 28-35

Dark	30
B-Way	32
Fusion	34

Shower systems 36-41

With thermostatic mixer	38
With lever mixer	40
Without mixer	41

Bathtubs 42-55

Fusion	44	Lesly	48
Vivien	45	Nelly	49
Zita	46	Bathtub screens	50
Evelyn	47	Bathtub accessories	54

Shower enclosures 56-79

Walk-In	58	Top Glass New	70
Walk-In Xmotion	62	Stream	72
Tex	64	Cast marble trays with covered waste	74
Shower door Tex	66	Cast marble trays	76
Folding shower door	68	Shortenable shower trough	78

Washbasins and toilets 80-87

Brevis	82
Infinitio	84
Bidet seat	86
Pre-wall installation system	87

Bathroom accessories 88-103

Project	90	Hooks without drilling	97
Cube Way	91	Shower shelves	98
Evolution R	92	Shower shelves X-Way	99
Evolution S	93	Freestanding accessories Infinitio	100
Simply R	94	Universal accessories	101
Simply S	95	Bath mat Infinitio	102
Simply R PVD gun metal	96	Laundry baskets	103



Taps

Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets



Bathroom accessories

About SAT

Swiss Aqua Technologies AG (SAT) is a company based in Cham, Switzerland. It consists of a team of engineers and scientists involved in the nearly two decades of product development in order to improve water quality, to save water with an emphasis on health effects and environmental impacts. The results are revolutionary solutions in a unique systems like IPS – Ion Polarization System, OFS – Optim Flush System or WCS – Water Care System.

IPS products are already being sold to many countries all over the world, like USA, Mexico, Thailand, China, Israel and many others.

Our logistics partner for the expedition to Europe, America and Africa is SIKO. With 30,000 m² of storage space, 100,000 pallet places and 50 trucks loaded / unloaded every day, SIKO is the perfect partner for fast and reliable shipments worldwide.





Research and Development

- Own team of engineers and scientists
- International cooperation
- Technical support department




We cooperate with the following companies on the development and production of SAT brand products:





Production

- International certification of production
- High level of automation
- Top quality control



Patented products

- Toilets and flushing systems
- Physical water treatment systems
- Multifunctional shower systems



Modern storage space

- Storage space 30 000 m²
- 100 000 pallet places
- 50 trucks every day

LIXIL

paffoni


RAVAK

VitrA




Ion Polarization System


The physical-galvanic water treatment



A new revolutionary system for preventing limescale and removing existing limescale from water heaters, pipes, mixers, showers and all equipment through which water flows with certified efficiency up to 76%. IPS use energy of spinning water and electrodes creating a galvanic potential 0.8 – 1.0 V.



- Changes hard calcite to soft aragonite.
- Reduces the need to de-scale tankless heaters, mixers, showers.
- Doesn't restrict household water pressure.
- Connects directly to copper, CPVC or PVC pipe.
- Adapts easily for PEX and other pipe types.
- Environmentally friendly and chemical-free.
- No electricity required.
- Easy-to-install and maintenance-free.
- Extends the life and efficiency of new and existing water heaters, mixers, showers, etc.
- Certified for long-term contact with drinking water.



PATENT PROTECTED

Ion Polarization System

effective protection against corrosion and scale formation

Ion Polarization System (IPS) is designed for the physical-galvanic water treatment for households, public buildings and industrial plants. IPS is suitable for new pipelines for prevention, but also for the old ones, where it gradually removes existing deposits.

How the IPS works




IPS effectively prevents the formation of solid sediments and corrosion in cold and hot water appliances. IPS is a flow-through body with inside placed turbine-shaped electrodes of two different electrically conductive materials. The electrode design is patent-protected (TGP® – Turbulent Galvanic Polarization) and generates a swirling water flow, causing a change in the structure of the minerals.

Physical propensity at 50.0 µm level

Changes in calcium carbonate crystal when using IPS (increased to 50.0 µm). Water marked 0 is without the use of IPS. Water 1, 2 and 3 flowed through the IPS. The photos show changes in the crystal structure.

0 1 2 3

Hardened water



IPS efficiency comparison

Water heater
after 12 months

Flow heater spiral
after 6 months

Tap aerator
after 6 months

Without water
treatment



IonPolarization
System

With installed IPS



IPS KalyxX

your best defence
against limescale

IPS KalyxX is a flow-through body with inlet and outlet ports. Inside are placed turbine-shaped electrodes (not magnets) of two different electrically conductive materials.

IPS KalyxX is suited for both traditional tank and tankless water heaters in areas with moderate to severe hard water. It's an inexpensive way to protect their investment, easy to install, and a great value. IPS KalyxX is designed to fit directly on the male NPT/G inlet of any residential water heater. Without a IPS KalyxX installed, tankless heaters must be flushed and cleaned with chemicals every one to three years to function properly.


IPS Products



IPS KalyxX



IPS KalyxX Industry



IPS WashBall

Approvals





IPS KalyxX RED LINE

Reduction of limescale formation
with efficiency up to 76%



**IPS KalyxX protects your home from limescale buildup.
It requires no power supply, batteries, chemicals or filters.**

IPS KalyxX uses a patented Turbulent Galvanic Polarization (TGP®) electrode to disrupt the formation of limescale crystals on water heaters, showers, thermostatic cartridges, taps, etc. In side-by-side comparison testing, IPS KalyxX was four times more effective than the leading electronic or magnetic scale devices. IPS KalyxX is easy to install and maintenance free.

- **Connection:** Female NPT/G x Female NPT/G
- **Patented Discs Composition**
- **Maximum Flowrate:** up to 7 m³/h*
- **Material:** Stainless Steel
- **Pipe Type:** Copper, CPVC, PVC, PEX
- **Maximum Pressure Drops:** 43 Pa – 692 Pa*
- **Operating Temperature (inlet):** 0 °C to 95 °C
(Optimal temperature for maximum efficiency Min/Max (inlet): 0 °C to 60 °C)

* depends on model






PATENT
PROTECTED

IPS KalyxX RedLine

- Reduces creation of limescale on water supply elements (pipework, valves, taps, shower heads, waterheating coils of home appliances) – efficiency of 76%.
- New Patented technology TGP® – Turbulent Galvanic Polarisation – no chemicals, no external energy.
- Suitable for cold (drinking) and hot water.
- NRL Certificate for direct permanent contact with drinking water.
- Health safety product – each part of IPS is made from material suitable for contact with drinking water.
- Safe product – Verified Hydraulic Properties.
- TSU test report about Pressure drop, Pressure resistance and Strength.
- Durable body (Stainless steel 1.4301) and internal parts – 2 years warranty, works at least 10 year without any maintenance.

Pressure loss IPS KalyxX RedLine



Technical parameters

IPS KalyxX Model	Connection	Diameter (mm)	Length (mm)	Weight (g)	Max Pressure (Bar / MPa)	Max Flow (m³/hod)	Pressure Drop at Max Flow (mBar / Pa)
RedLine 1/2" IPSKXRG12	G 1/2" (female)	Ø50	245	910	10 / 1	1	0,4416 / 44,16
RedLine 3/4" IPSKXRG34	G 3/4" (female)	Ø50	245	890	10 / 1	3,2	4,38 / 437,78
RedLine 1" IPSKXRG1	G 1" (female)	Ø50	251	930	10 / 1	4	6,92 / 692,03
RedLine 5/4" IPSKXRG54	G 5/4" (female)	Ø50	480	2 400	10 / 1	5	13,84 / 1 384,06
RedLine 6/4" IPSKXRG64	G 6/4" (female)	Ø50	480	2 500	10 / 1	7	13,84 / 1 384,06

IPS KalyxX RedLine G1/2"
IPSKXRG12

IPS KalyxX RedLine G3/4"
IPSKXRG34

IPS KalyxX RedLine G 1"
IPSKXRG1



IPS KalyxX BLUE LINE

Reduction of limescale formation
with efficiency up to 76%
+ antibacterial effect



**IPS KalyxX protects your home from limescale buildup.
It requires no power supply, batteries, chemicals or filters.**

IPS KalyxX uses a patented Turbulent Galvanic Polarization (TGP®) electrode to disrupt the formation of limescale crystals on water heaters, showers, thermostatic cartridges, taps, etc. In side-by-side comparison testing, IPS KalyxX was four times more effective than the leading electronic or magnetic scale devices. IPS KalyxX is easy to install and maintenance free.

- **Connection:** Female NPT/G x Female NPT/G
- **Patented Discs Composition**
- **Maximum Flowrate:** up to 7 m³/h*
- **Material:** Stainless Steel
- **Pipe Type:** Copper, CPVC, PVC, PEX
- **Maximum Pressure Drops:** 43 Pa – 692 Pa*
- **Operating Temperature (inlet):** 0 °C to 95 °C
(Optimal temperature for maximum efficiency Min/Max (inlet): 0 °C to 60 °C)

* depends on model





PATENT
PROTECTED


IPS KalyxX BlueLine

- Reduces creation of Limescale on water supply elements (pipework, valves, taps, shower heads, waterheating coils of home appliances) – efficiency of 76%.
- Reduce the amount of Escheria Coli bacteria up to 40% (thanks to silver electrodes).
- New Patented technology TGP® – Turbulent Galvanic Polarisation – no chemicals, no external energy.
- Suitable for cold (drinking) and hot water.
- NRL Certificate for direct permanent contact with drinking water.
- Health safety product – each part of IPS is made from material suitable for contact with drinking water.
- Safe product – Verified Hydraulic Properties.
- TSU test report about Pressure drop, Pressure resistance and Strength.
- Durable body (Stainless steel 1.4301) and internal parts – 2 years warranty, works at least 10 year without any maintenance.

Pressure loss IPS KalyxX BlueLine



Technical parameters



IPS KalyxX Model	Connection	Diameter (mm)	Length (mm)	Weight (g)	Max Pressure (Bar / MPa)	Max Flow (m³/hod)	Pressure Drop at Max Flow (mBar / Pa)
BlueLine 1/2" IPSKXBG12	G 1/2" (female)	Ø50	245	910	10 / 1	1	0,4405 / 43,05
BlueLine 3/4" IPSKXBG34	G 3/4" (female)	Ø50	245	890	10 / 1	3,2	4,29 / 429,08
BlueLine 1" IPSKXBG1	G 1" (female)	Ø50	251	930	10 / 1	4	6,68 / 668,76
BlueLine 5/4" IPSKXBG54	G 5/4" (female)	Ø50	480	2 400	10 / 1	5	13,36 / 1 337,52
BlueLine 6/4" IPSKXBG64	G 6/4" (female)	Ø50	480	2 500	10 / 1	7	13,36 / 1 337,52

IPS KalyxX BlueLine G 1/2"
IPSKXBG12

IPS KalyxX BlueLine G 3/4"
IPSKXBG34

IPS KalyxX BlueLine G 1"
IPSKXG1



IPS KalyxX GREEN LINE

Designed for irrigation systems
and technologies



**IPS KalyxX protects your home from limescale buildup.
It requires no power supply, batteries, chemicals or filters.**

IPS KalyxX uses a patented Turbulent Galvanic Polarization (TGP®) electrode to disrupt the formation of limescale crystals on water heaters, showers, thermostatic cartridges, taps, etc. In side-by-side comparison testing, IPS KalyxX was four times more effective than the leading electronic or magnetic scale devices. IPS KalyxX is easy to install and maintenance free.

- **Connection:** Female NPT/G x Female NPT/G or Female NPT/G x Garden hose quick connector
- **Patented Discs Composition**
- **Maximum Flowrate:** up to 4 m³/h*
- **Material:** Stainless Steel
- **Pipe Type:** Copper, CPVC, PVC, PEX
- **Maximum Pressure Drops:** 43 Pa – 692 Pa*
- **Operating Temperature (inlet):** 0 °C to 35 °C
(Optimal temperature for maximum efficiency Min/Max (inlet): 0 °C to 60 °C)

* depends on model



PATENT
PROTECTED

IPS KalyxX GreenLine



- Reduces scale formation in irrigation systems and water distribution – efficiency up to 76%.
- Reduces traces of dried minerals after washing cars or other equipment.
- New Patented technology TGP® – Turbulent Galvanic Polarisation – no chemicals, no external energy.
- Safe product – proven hydraulic properties.
- Protocol TSU on pressure drop, pressure resistance and strength.
- Durable body (stainless steel 1.4301) and internal components.
- 2-year warranty, life time for at least 10 years.
- No maintenance or filter replacement required.
- Designed for garden irrigation systems and water distribution.
- Suitable for gardens, public parks, football turf, golf courses, hydroponics, growing fruits and vegetables, watering animals.



Garden grill washed without IPS KalyxX GreenLine.



Garden grill washed with IPS KalyxX GreenLine.



Technical parameters

IPS KalyxX Model	Connection	Diameter (mm)	Length (mm)	Weight (g)	Max Pressure (Bar / MPa)	Max Flow (m ³ /hod)	Pressure Drop at Max Flow (mBar / Pa)
GreenLine3/4" IPSKXGG34	G 3/4" (female) Garden Hose Quick Connector	Ø50	255	830	10 / 1	1,5	0,3 / 30

IPS KalyxX GreenLine G3/4"
IPSKXGG34

Water Improvement



IonPolarization
System

IPS KalyxX INDUSTRY

Reduction of limescale formation
for use in systems with higher water flow



**IPS KalyxX protects your home from limescale buildup.
It requires no power supply, batteries, chemicals or filters.**

IPS KalyxX uses a patented Turbulent Galvanic Polarization (TGP®) electrode to disrupt the formation of limescale crystals on water heaters, showers, thermostatic cartridges, taps, etc. In side-by-side comparison testing, IPS KalyxX was four times more effective than the leading electronic or magnetic scale devices. IPS KalyxX is easy to install and maintenance free.



PATENT
PROTECTED

IPS KalyxX Industry

The use of IPS Industry is effective and suitable in any running water plant. Washing lines, restaurants, canteens, bakeries, laundries, hairdressers, dry cleaners, swimming pools, dairies, breweries, distilleries, gardening, irrigation systems and much more. It also works reliably in heat exchangers, water systems, boilers, condensers, generators, heating systems, compressor rooms, refrigeration and air conditioning equipment.

- Solution for apartment buildings and buildings with higher hourly flow.
- Suitable for direct water-to-water heat pump circuit with high output, for stabilization of wastewater purifier at values guaranteed by the producer.
- Installation at the entrance to the building.
- Cold water supply pipes for central heating at transfer stations and boiler rooms.
- Prevent clogging of plate heat exchangers and stabilize specific heat demand for hot water.
- Stabilization of point corrosion of storage heaters.



IPS KalyxX Industry RedLine RP



IPS KalyxX Industry RedLine DN



Technical parameters

IPS KalyxX Model RedLine / BlueLine	Connection	Diameter (mm)	Length (mm)	Weight (kg)	Max Pressure (Bar / MPa)	Max. Flow (m ³ /hour)
Industry RP64 IPSINRDN40 / IPSINBDN40	RP 6/4"	114,3	506	4,9	10 / 1	8
Industry RP2 IPSINRDN50 / IPSINBDN50	RP 2"	114,3	640	5,7	10 / 1	12
Industry DN40 IPSINDTGPDN40RL / IPSINDTGPDN40BL	flange	150	530	8,3	10 / 1	8
Industry DN50 IPSINDTGPDN50RL / IPSINDTGPDN50BL	flange	165	656	11	10 / 1	12
Industry DN65 IPSINDTGPDN65RL / IPSINDTGPDN65BL	flange	185	590	15,3	10 / 1	16
Industry DN80 IPSINDTGPDN80RL / IPSINDTGPDN80BL	flange	200	607	19,5	10 / 1	24
Industry DN100 IPSINDTGPDN100RL / IPSINDTGPDN100BL	flange	220	800	32	10 / 1	36
Industry DN125 IPSINDTGPDN125RL / IPSINDTGPDN125BL	flange	250	955	48,5	10 / 1	54
Industry DN150 IPSINDTGPDN150RL / IPSINDTGPDN150BL	flange	285	460	30	10 / 1	100

IPS KallyxX Industry BlueLine 6/4" IPSINBDN40
 IPS KallyxX Industry BlueLine DN 50 IPSINBDN50P
 IPS KallyxX Industry BlueLine 2" IPSINBDN50
 IPS KallyxX Industry BlueLine DN40 flange IPSINBDN40P


IPS KallyxX Industry RedLine DN40 flange IPSINRDN40P
 IPS KallyxX Industry RedLine DN50 flange IPSINRDN50P
 IPS KallyxX Industry RedLine DN40 flange IPSINRDN40P
 IPS KallyxX Industry RedLine 2" IPSINRDN50



IPS WashBall

Effectively prevents corrosion
and limescale creation

- Protects appliances from limescale.
- Easy to use, no chemical softeners.
- No maintenance required.



- **LIMESCALE PROTECTION**
- **WATER SAVING**
- **HIGHER WASHING EFFICIENCY**
- **MONEY SAVING**
- **ENVIRONMENT FRIENDLY**

- For using in:
- **WASHING MACHINES**
 - **DISHWASHERS**
 - **TOILET TANKS**




PATENT
PROTECTED

IPS WashBall

IPS effectively prevents the formation of solid sediments and corrosion in cold and hot water appliances.

IPS WashBall is a flow-through body with inside placed turbine-shaped electrodes of two different electrically conductive materials. The electrode design is patent-protected (TGP® - turbulent galvanic polarization) and generates a swirling water flow, causing a change in the structure of the minerals.



Our patented technology TGP® (Turbulent Galvanic Polarization) used in IPS WashBall transforms limescale structures from CALCITE to ARAGONITE. The scale does not settle but washes away.



Higher Washing Efficiency


It is proven with our internal tests and also by independent test (Clearview-USA) that washball has positive effects on Higher Washing Efficiency. During our test of Cotton /40°C/60ml washing gel we reach such a result.

- 100 % of tests were with the same or better results with using of WashBall.
- Average washing performance when using WashBall is 3,67% higher; highest efficiency achieved by black tea, the washing performance with WashBall was about 36,79% higher.
- If WashBall is used in standard washing, the effectiveness of the washing effect is usually increased (dependent on kind of contamination).
- The effect of using WashBall can be clearly recommended without negative side effects.



Benchmark Results

IPS WashBall Results, December 10, 2019



CTQ Metric Metric Weighting Which is Better?	Soil Removal Performance					
	20%	20%	20%	20%	20%	0%
	Higher	Higher	Higher	Higher	Higher	Data
Sample	Soil Removal - Red Wine (% Cleaning Eff.)	Soil Removal - Cocoa (% Cleaning Eff.)	Soil Removal - Blood (% Cleaning Eff.)	Soil Removal - Carbon (% Cleaning Eff.)	Soil Removal - Sebum (% Cleaning Eff.)	Soil Removal - Control (% Cleaning Eff.)
Control Laundry Runs with no WashBall	34%	20%	17%	13%	35%	100%
Laundry Runs with WashBall	34%	26%	19%	15%	38%	100%
Metric Average	34%	23%	18%	14%	36%	100%
Sample Size	3 Loads - 4 Samples per Load	3 Loads - 4 Samples per Load	3 Loads - 4 Samples per Load	3 Loads - 4 Samples per Load	3 Loads - 4 Samples per Load	3 Loads - 4 Samples per Load

Best Performer per test

Amazon customer review



Client d'Amazon

★★★★★ Super produit

Commenté en France le 27 mai 2021

Achat vérifié

J'ai une eau très dure.

Et les photos parlent d'elles-mêmes.

Je suis très écolo dans ma machine je ne mets qu'une lessive que je fais et du vinaigre, mais ma machine était toujours pleine de tartre.

En 3 machines avec la boule le résultat est vraiment visible.

Je suis très satisfaite 😊😊😊😊😊😊



IPS WashBall for washing machines, dishwashers, tanks SWB

Water Saving



OptimFlush System

The new revolutionary solution for toilet and flushing

- The most efficient flushing system.
- No need for a concealed cistern installation.
- Adjustable water quantity – 1,5 – 2,5 – 4 l.
- Quiet operation – low noise level of flushing.
- Higher water level – very easy to clean.
- Quick and easy installation.
- Tested for 200 000 cycles.
- CE certificated – comply with EN997.



50% less water per flush



One piece solution - tank less



No external energy



Studio S Low Profile
Studio S Toilet
with OptimFlush
System technology



PATENT PROTECTED

OptimFlush creates a next generation of the toilet. Tank less toilet without external power supply, with extremely low water consumption fulfilling the strictest parameters of current technical standards and regulations with focus on maximum simplicity and reliability of the system.

“All In One” philosophy puts the greatest emphasis on fast and easy installation and building readiness. The top priority is the final appearance.

OptimFlush System

OptimFlush System is suitable for both types of flushing

- **syphonic**
(mainly Asia and USA)
- **washdown**
(mainly Europe and Middle East)



OFS is unique system how to flush toilet using pressure which is taken from the pipes.

The pressured air with water is stored in the tanks inside toilet, ready to be released when needed.

The result is very efficient and silent flush, that can never be reached by using gravitation flushing (used in standard toilets in Europe).



Premiere of the Studio S toilet with OptimFlush technology at the KBIS 2020 trade fair in Las Vegas (USA).

Pictured from left: James Walsh (Marketing Director of American Standard), Mats Dannerstedt (SAT USA), Jaroslava Valová (founder of SIKO), Monika Vítová (CFO of the SIKO Group) and Ondřej Sochor (CEO of SAT).



Standing WC SAT OptimFlush rear waste
SATOFSHFS2

Wellness Shower

with more features

Care for Health & Beauty

2in1

The Pedicure Shower is designed for the easy, safe and fast removal of hard skin on the feet. It can be done after every bath or shower and gently removed skin is immediately and cleanly washed away.

There is no need for an external source or mechanical power. Continuous rinsing with water provides gently care and the resulting effect. Combination with shower function provides the user with a more comprehensive 2 in 1 benefit.



Designed for
**EASY, SAFE & FAST
REMOVAL
OF HARD SKIN**
on the feet.



Double-sided use 2in1
**Shower
+ Pedicure Care**



• Rain • Massage • Rain / Massage



Pedicure Care





PATENT
PROTECTED

Pedicure Shower

Functions

Shower




Available four types of stone: rough, ordinary, medium and fine. Ordinary stone is included. Spare stones in the desired roughness can be purchased separately.

Pedicure Care



Technical data


Operating pressure: min. 0,2 MPa / max. 0,6 MPa*
Recommended operating pressure: 0,22 – 0,4 MPa*
Hot water temperature: max. 60 °C



Water consumption depending on pressure:

Europe version water pressure	Flow
20PSI (0.14 MPa)*	6.73 l/m
40 PSI (0.28 MPa)*	9.80 l/m
60 PSI (0.41 MPa)*	12.07 l/m
80 PSI (0.55 MPa)*	14.11 l/m

*(1MPa = 10 bars = 147 PSI)



Minimal operating pressure
 0,2 MPa (2 bars).

Pedicure Shower
 SATWTSHS4

Water Improvement

Home Filter

with transparent container
for quick check of insert
condition

The filter is designed for connection to cold water and meets all requirements for effective filtration. Transparent body, allowing you to visually check the condition of the filter insert.

The head is fitted with brass 1" water inlet and outlet connections and a pressure relief valve to relieve pressure when the filter cartridge is replaced. O-ring for maximum impermeability.

Compatible with the vast majority of filter types on the market.



Home filter is designed for domestic and commercial use.



Maximum
operating pressure
8 bar



Minimum operating / Maximum working temperature
2 °C / 46 °C

Home Filter


Specifications:

Maximum operating pressure: 8 bar
 Minimum operating temperature: 2 °C
 Maximum working temperature: 46 °C
 Dimensions: 32 x 10 cm






Package contains:

Filter body, mounting brackets, wrench.



			
Home Filter	SATHF1	SATHF12	SATHF34
Connection	1"	1/2"	3/4"

					
Filter Insert	SATCPP1010MA	SATCPP105MA	SATCPC1010M	SATCPC105M	SATUDF10A
Filtration	dirt 10 µm	dirt 5 µm	dirt / taste 10 µm	dirt / taste 5 µm	chlorine

Home filter 1/2" SATHF12
 Home filter 1" SATHF1
 Home filter 3/4" SATHF34

Cartridge for home filters 10 micrometers SATCPP1010MA
 Cartridge for home filters 5 micrometers SATCPP105MA
 2 component filter cartridge 10 micron SATCPC1010M

2 component filter cartridge 5 micron SATCPC105M
 Filter insert with activated carbon SATUDF10A.4





Taps





Dark





High basin mixer SAT Dark without spout PVD Gun Metal SATBSDA285K



High basin mixer SAT Dark without spout PVD Gun Metal SATBSDA285P



SAT Dark basin mixer without spout PVD Gun Metal SATBSDA271K




SAT Dark basin mixer without spout PVD Gun Metal SATBSDA271P



SAT Dark bath mixer without shower set PVD Gun Metal SATBSDA222



SAT Dark shower mixer without shower set PVD Gun Metal SATBSDA268



Shower hose SAT Dark PVD Gun Metal SATBSHPDA



Shower head SAT Dark PVD Gun Metal SATBSRSDA



Wall mounted shower system SAT Dark with thermostatic mixer PVD Gun Metal SATDASSTK



Shower rod SAT Dark PVD Gun Metal SATBSSTDA



Shower holder SAT Dark PVD Gun Metal SATBSDPDA



Control knob SAT Dark PVD Gun Metal SATATDA

B-Way





SAT B-Way basin mixer without waste black matt SATBSBW271



Shower mixer SAT B-Way without shower set 150 mm black matt SATBSBW268



High basin mixer SAT B-Way without spout black matt SATBSBW285



SAT B-Way bath mixer without shower set 150 mm black matt SATBSBW222



SAT B-Way bathtub mixer including basin mixer black matt SATBSBW215



Shower mixer SAT B-Way incl. concealed mixer black matt SATBSBW210



SAT B-Way concealed outlet with shower set black SATBSPVSBW



Bath set SAT B-Way black SATBSVSBW



Shower system SAT B-Way with thermostatic mixer black SATBWSST



Shower set SAT B-Way black SATBSSSBW

Fusion





Washbasin mixer
SAT Fusion without
lever lever concrete
SATBSFU271B

Washbasin mixer
SAT Fusion without
lever white glass
SATBSFU271BS

Washbasin mixer
SAT Fusion without
lever lever light wood
SATBSFU271DS

Washbasin mixer
SAT Fusion without
lever lever dark wood
SATBSFU271DT

SAT Fusion basin mixer
without waste chrome
SATBSFU271CP

SAT Fusion basin mixer
without waste chrome
SATBSFU271TCH

SAT Fusion basin mixer
without waste chrome
SATBSFU271TC



High basin mixer
SAT Fusion without
spout lever concrete
SATBSFU285B

SAT Fusion high basin
mixer without spout
lever white glass
SATBSFU285BS

High basin mixer
SAT Fusion without
spout lever light wood
SATBSFU285DS

High basin mixer
SAT Fusion without
spout lever dark wood
SATBSFU285DT

High basin mixer
SAT Fusion without
spout chrome
SATBSFU285CP

High basin mixer
SAT Fusion without
drain chrome
SATBSFU285TCH

High basin mixer
SAT Fusion without
spout chrome
SATBSFU285TC



SAT Fusion bath mixer
without shower set lever concrete
SATBSFU222B



SAT Fusion bath mixer
without shower set lever white glass
SATBSFU222BS



SAT Fusion bath mixer
without shower set lever light wood
SATBSFU222DS



SAT Fusion bath mixer
without shower set lever dark wood
SATBSFU222DT



SAT Fusion bath mixer
without shower set chrome
SATBSFU222TCH



SAT Fusion bath mixer
without shower set chrome
SATBSFU222CP



SAT Fusion bath mixer
without shower set chrome
SATBSFU222TC



Shower mixer SAT Fusion
without shower set lever concrete
SATBSFU268B



Shower mixer SAT Fusion
without shower set lever white glass
SATBSFU268BS



Shower mixer SAT Fusion
without shower set lever light wood
SATBSFU268DS



Shower mixer SAT Fusion
without shower set lever dark wood
SATBSFU268DT



Shower mixer SAT Fusion
without shower set chrome
SATBSFU268CP




Shower mixer SAT Fusion without
shower set chrome SATBSFU268TCH



SAT Fusion shower mixer
without shower set chrome
SATBSFU268TC

Shower systems





Shower systems

With thermostatic mixer

Taps

Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories



practical shelf



Push-Button
Control system -
regulation of the
water flow directly
on the button

Shower system SAT
with shelf chrome
SATSSTPBCH



Shower system SAT with bath
thermostat white/chrome SATSSTKP3F



SAT wall-mounted shower system
with thermostatic mixer black/chrome
SATSSTPBCHC



SAT wall mounted shower system
with thermostatic mixer white/chrome
SATSSTKPF1



Shower systems

With thermostatic mixer



29x19 cm

Ø 215 cm

Shower system SAT
with thermostatic mixer white/chrome
SATSSTHP



Shower system SAT
with thermostatic mixer white/chrome
SATSSTKP



Ø 25 cm

 GUN
METAL

SAT wall mounted shower system
with thermostatic mixer PVD Gun Metal
SATDASSTK



Shower systems

With lever mixer

Taps

Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories



Shower panel SAT
decor stone
STONESHOWER

Shower system SAT
with lever mixer white/chrome
SATSSPK



Shower system SAT
with lever mixer chrome
SATSSPK



Shower system SAT
with lever mixer white/chrome
SATSSPHP



Shower systems

Without mixer (connect to an existing mixer)



Shower system SAT
without mixer white/chrome
SATPIPET



Shower system SAT
without mixer white/chrome
SATPIPET



Shower set SAT
with shelf white/chrome
SATSSP31



Hand shower: 1 function 2 functions 3 functions 4 functions 5 functions

Thermostatic mixer

Adjustable height

Rotatability
(can be rotated sideways)

Bathtubs







Bathtub Fusion

150x70x41 cm	SIKOV150
160x70x41 cm	SIKOV160
170x70x41 cm	SIKOV170

Cover panels

150x70x41 cm	RP1500
160x70x41 cm	RP1600
170x70x41 cm	RP1700



We recommend combining with bath screens (pg 50 - 53)

Cast acrylate

SURPRISINGLY LARGE INTERIOR

- Slim hems and a greater slope of the side walls give the bathtub a large interior space for a pleasant bath.

COMFORTABLE AND SAFE SHOWERING

- The wide interior space, flat bottom and the addition of a bath screen guarantee a safe shower while standing.

THE IDEAL SOLUTION FOR A SMALLER BATHROOMS

- The width of only 70 cm saves space in the bathroom, the shape of the bathtub allows it to be supplemented with any type of bathtub screen.



Quality material - Cast acrylate is used to make bathtubs. Products made of it retain their desired shape for a long time, they do not warp or crack. They have a high-gloss and non-porous surface that is easy to clean and has antibacterial properties.



Prices are without legs
NOHYVA





Bathtub Vivien

150x70x41 cm	SATVIVI150
160x70x41 cm	SATVIVI160
170x70x41 cm	SATVIVI170
170x75x41 cm	SATVIVI17075

Bathtub Vivien Silent+ (soundproofed)


150x70x41 cm	SATVIVI150SIP
160x70x41cm	SATVIVI160SIP
170x70x41 cm	SATVIVI170SIP
170x75x41 cm	SATVIVI17075SIP


 The water stays warm longer than in an acrylic bathtub.

 Made of recyclable material, environmentally friendly.


Enameled steel


- combination of two natural substances - glass and steel
- steel is characterized by high strength and load capacity
- glass is decorated with great resistance to heat and chemical stress

 Soundproof variants of Vivien Silent + significantly reduce the noise of the bath during the bath.

 Sound insulation meets the strictest Swiss and German standards (SIA 181, DIN 4109 / A1).



 Prices are without legs NOHYVA




M Made from cast marble

Freestanding bath tub Zita 170x88 cm
SAT cast marble ZI1700

170 x 88 x 56 cm ZI1700

330



M Made from cast marble

Freestanding bath tub Evelyn 172x87 cm
SAT marble EVE1700

172 x 87 x 63,5 cm EVE1700



Taps




Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories






M Made from cast marble

Freestanding bathtub SAT Lesly 170x82 cm cast marble LE1700



170 x 82 x 55 cm LE1700 white

82 x 170 x 55 cm SATLE1700C black




M Made from cast marble

Freestanding bathtub Nelly 175x82 cm
SAT marble left NEL1700L

L/P 350

175 x 82 x 55 cm, left	NEL1700L	white
175 x 82 x 55 cm, right	NEL1700P	white
82 x 175 x 55 cm, left	SATNEL1700LC	black
82 x 175 x 55 cm, right	SATNEL1700PC	black



Bathtub screens





Bath screen SAT 150x80 cm chrome
EasyClean 8 mm
SIKOTGVZ150



Bath screen SAT X-motion 150x117 cm chrome
EasyClean 8 mm
SATWIXMVZ150

Bathtub screens

Taps

Shower systems

Bathtubs



Bathtub screen SAT 150x80 cm chrome
EasyClean 8 mm
SIKOVZPEV150

Shower enclosures

Washbasins and toilets

Bathroom accessories



Bath screen SAT X-motion 150x117 cm black
EasyClean 8 mm
SATWIXMVZ150C



Bathtub screen SAT chrome
EasyClean 8 mm
150 x 70 cm SATVZUNIKCRT70
150 x 75 cm SATVZUNIKCRT75



Bathtub screen SAT 150x105 cm
EasyClean 8 mm
chrome SATVZSK105
black SATVZSK105C

Bathtub accessories





Automatic bathtub 52 mm DN40/DN50
SAT chrome metal
SATAVAP1



Automatic bathtub 52 mm DN40/DN50
SAT white gloss metal
SATAVAPO



Automatic bathtub 52 mm DN40/DN50
SAT black matt metal
SATAVAP8



Automatic bathtub 52 mm DN40/DN50
SAT chrome metal
SATAVA1



Automatic bathtub SAT Dark 52 mm DN40/DN50
PVD Gun metal
SATAVADA



Automatic bathtub 52 mm DN40/DN50
SAT white gloss metal
SATAVA0



Automatic bathtub 52 mm DN40/DN50
SAT black matt metal
SATAVA8

Shower enclosures





Taps

Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories

Walk-In





Grid (MR)

Matt glass (MS)

Transparent

Smoked glass (KS)

Choose your Walk-In in four steps:

1 Glass

Walk-In - Shower enclosure

☑ transparent, smoked glass (KS), matt glass (MS), grid (MR)

Width (cm)	Depth (cm)	Glass type	Number of panels	Model
80x200	77-77,5	✓	8	SIKOWI80
80x200	77-77,5	✓	8	SIKOWI80KS
80x200	77-77,5	✓	8	SIKOWI80MS
80x200	77-77,5	✓	8	SIKOWI80MR
90x200	87-87,5	✓	8	SIKOWI90
90x200	87-87,5	✓	8	SIKOWI90KS
90x200	87-87,5	✓	8	SIKOWI90MS
90x200	87-87,5	✓	8	SIKOWI90MR
100x200	97-97,5	✓	8	SIKOWI100
100x200	97-97,5	✓	8	SIKOWI100KS
100x200	97-97,5	✓	8	SIKOWI100MS
100x200	97-97,5	✓	8	SIKOWI100MR
110x200	107-107,5	✓	8	SIKOWI110
110x200	107-107,5	✓	8	SIKOWI110KS
110x200	107-107,5	✓	8	SIKOWI110MS
110x200	107-107,5	✓	8	SIKOWI110MR
120x200	117-117,5	✓	8	SIKOWI120
120x200	117-117,5	✓	8	SIKOWI120KS
120x200	117-117,5	✓	8	SIKOWI120MS
35x200	117-117,5	✓	8	SIKOWI120MR
140x200	137-137,5	✓	8	SIKOWI140
140x200	137-137,5	✓	8	SIKOWI140KS
140x200	137-137,5	✓	8	SIKOWI140MS

2 Fixing arm

Fixing arm (1 piece in package)

Accessories - chrome	SIKZAV1
Accessories - black	SIKZAV1C
Accessories - chrome	SIKZAV2
Accessories - black	SIKZAV2C
Accessories - chrome	SIKZAV3
Accessories - black	SIKZAV3C
Accessories - chrome	SIKZAV4
Accessories - black	SIKZAV4C
Accessories - chrome	SIKZAV5




Walk-In

3 Mounting system - Profile / Hinges / Special profile for accessories

3a Profile - Side profile 2 m + bottom bar 1.6 m + mounting package

Profile set for Walk-In

chrome profile	SIKOWIPROFIL
black profile	SIKOWIPROFILC




3b Hinge - Hinges + bottom bar 1.6 m + mounting package

Hinge set for Walk-In

chrome hinges	SATWIPANT
black hinges	SATWIPANTC



 We recommend combining with shower trays, more on pages 75 - 77.

3c Special profile for hanging accessories + bottom rail 1.6 m + mounting package



Special profile for Walk-In accessories

SATWIDOPLPROFILC	black
SATWIDOPLPROFILCR	chrome

3d Accessories for special profile




Adjustable mirror

SATWIDOPLZRCC	black
SATWIDOPLZRCCR	chrome



Shelf

SATWIDOPLPOLC	black
SATWIDOPLPOLB	white



Shelf - box

SATWIDOPLBOXC	black
SATWIDOPLBOXB	white

4 Optional accessories

4a Swivel side wall - profile system

cm	mm		
35x200 cm	✓	8	SIKOWIROZ
35x200 cm	✓	8	SIKOWIROZC
35x200 cm	✓	8	SIKOWIROZCKS
35x200 cm	✓	8	SIKOWIROZKS



4b Swivel side wall - hinge system

cm	mm		
35x200 cm	✓	8	SIKOWIROZPANT
35x200 cm	✓	8	SIKOWIROZPANTC
35x200 cm	✓	8	SIKOWIROZPANTCKS
35x200 cm	✓	8	SIKOWIROZPANTKS



4c Hooks on glass

SATWIHACEK	chrome
SATWIHACEK	black



Hanging hook for shower screen SAT Walk-In, plastic clear SATWIHACEKPLAST

4d Towel bar



Towel bar 138 cm SAT Walk-In black SATWIDOPLYCC



Towel bar 138 cm SAT Walk-In SATWIDOPLYC ©



4e Shower stool

Shower stool SAT freestanding plastic transparent SATSTOLPLASTT white SATSTOLPLASTB black SATSTOLPLASTC



Walk-In Xmotion





Taps

Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories


Choose your Walk-In Xmotion in five steps:

1 Glass

Shower screen Walk-In
transparent glass

cm	cm	mm		
Walk-In, niche				
110x200	107,5 - 109	8	✓	SIKOWIXM110
120x200	117,5 - 119	8	✓	SIKOWIXM120
140x200	137,5 - 139	8	✓	SIKOWIXM140

4 Special profile for the niche (necessary to buy)



chrome profile

SIKOWIXMNIKAP

black profile

SIKOWIXMNIKAPC

2 Fixing arm



The arm is 120 cm long and has joints at both ends, thanks to which you can use it at an angle. The arm can be shortened as desired.

Fixing arm (1 piece in package)

chrome	SATWIXMZAV120
black	SATWIXMZAV120C

3 Side profile + lower bar + handle + mounting package




Set for Walk-In

chrome	SIKOWIXMPROFIL
black	SIKOWIXMPROFILC

5 Side wall



77,5x200 cm	chrome	SATWIXMSTENA80CR
87,5x200 cm	chrome	SATWIXMSTENA90CR
87,5x200 cm	black	SATWIXMSTENA90C
77,5x200 cm	black	SATWIXMSTENA80C



Tex





Shower stall quadrant - Tex (without handrail and sidewall)
 chrome profile transparent glass (T)/ glass strips (S), R 550

cm	cm	cm	mm		
80x80x190	77-79	45.8	6	✓	SIKOTEXS80CRT
80x80x190	77-79	45.8	6	✓	SIKOTEXS80CRS
90x90x190	87-89	56.7	6	✓	SIKOTEXS90CRT
90x90x190	87-89	56.7	6	✓	SIKOTEXS90CRS
100x100x190	97-99	56.7	6	✓	SIKOTEXS100CRT
100x100x190	97-99	56.7	6	✓	SIKOTEXS100CRS

Shower stall square - Tex (without handrail and sidewall)
 chrome profile transparent glass (T)/ glass strips (S)

cm	cm	cm	mm		
80x80x190	77-79	43.3	6	✓	SIKOTEXQ80CRT
80x80x190	77-79	43.3	6	✓	SIKOTEXQ80CRS
90x90x190	87-89	50.4	6	✓	SIKOTEXQ90CRT
90x90x190	87-89	50.4	6	✓	SIKOTEXQ90CRS
100x100x190	97-99	57.5	6	✓	SIKOTEXQ100CRT
100x100x190	97-99	57.5	6	✓	SIKOTEXQ100CRS



Lowered shower stall Tex - only 170 cm tall

Shower enclosure quarter-circle 90x90x170 cm
 SAT TEX chrome glossy
 SIKOTEXS90CRS170

We recommend a acrylic deep tray RO90HLO



Shower tub, Rondo quadrant, 90x90x28 cm
 RO90HLO




Hand-rails for Tex shower stall / Wall-integrated profile

handle 1, chrome	SIKOMADLO1
handle 2, chrome	SIKOMADLO2
handle 3, chrome	SIKOMADLO3
extension profile 30 mm	NDTEXROZP




Squeezing bottom slides make cleaning easier.



With EasyClean

Transparent



Without EasyClean

Stripe



Easy installation - no screws and drilling into profiles.

- profile
- panel
- tray size
- buildability
- input dimensions
- glass thickness

Shower door Tex





Shower doors Sliding - Tex (without handrail and sidewall)

chrome profile transparent glass (T)

cm	cm	cm	mm		
100x195	97-101	41,9	6	✓	SIKOTEXD100CRT
120x195	117-121	51,9	6	✓	SIKOTEXD120CRT
140x195	137-141	61,9	6	✓	SIKOTEXD140CRT



Shower doors double-leaf - Tex revolving (without handrail and sidewall)

chrome profile transparent glass (T)

cm	cm	cm	mm		
80x195	77-81	6	6	✓	SIKOTEXL80CRT
90x195	87-91	6	6	✓	SIKOTEXL90CRT
100x195	97-101	6	6	✓	SIKOTEXL100CRT



Shower doors single-leaf - Tex revolving (without handrail and sidewall)

chrome profile transparent glass (T)

cm	cm	cm	mm		
80x195	77-81	6	6	✓	SIKOTEXP80CRT
90x195	87-91	6	6	✓	SIKOTEXP90CRT
100x195	97-101	6	6	✓	SIKOTEXP100CRT



Sliding shower doors - Tex (without handrail)

chrome profile opaque glass (Grape)

cm	cm	cm	mm		
80x195	77-81	6	6	✓	SIKOTEXE80CRG
90x195	87-91	6	6	✓	SIKOTEXE90CRG
100x195	97-101	6	6	✓	SIKOTEXE100CRG
110x195	107-111	6	6	✓	SIKOTEXE110CRG
120x195	117-121	6	6	✓	SIKOTEXE120CRG



Side screen for shower doors (SIKOTEXD, SIKOTEXL, SIKOTEXP)

chrome profile transparent glass (T)

cm	mm		
80x195	6	✓	SIKOSTENATEXD80
90x195	6	✓	SIKOSTENATEXD90
100x195	6	✓	SIKOSTENATEXD100




Hand-rails for Tex shower stall / Wall-integrated profile

handle 1, chrome	SIKOMADLO1
handle 2, chrome	SIKOMADLO2
handle 3, chrome	SIKOMADLO3
extension profile 30 mm	NDEXROZP

Folding shower door



Possible combinations of shower doors



- A** combination of two doors SIKOSK ** + SIKOSK ** you get a square or a rectangle (eg 90x90, 100x80 etc)
- B** when using a door into a niche, a special profile is required SIKOPROFILSK + SIKOSK**
- C** combination of shower doors and fixed walls SIKOSTENASK** + SIKOSK**



Easy installation – no screws and drilling profiles.



Adjustability 20 mm

Barrier-free entry



Shower doors foldable

chrome profile transparent glass (T)

Width (cm)	Height (mm)	Profile	Material
80x195	6	✓	SIKOSK80
80x195	6	✓	SIKOSK80S
90x195	6	✓	SIKOSK90
90x195	6	✓	SIKOSK90S
100x195	6	✓	SIKOSK100
100x195	6	✓	SIKOSK100S



Side wall fixed

chrome profile transparent glass (T)

Width (cm)	Height (mm)	Profile	Material
80x195	6	✓	SIKOSTENASK80
80x195	6	✓	SIKOSTENASK80S
90x195	6	✓	SIKOSTENASK90
90x195	6	✓	SIKOSTENASK90S
100x195	6	✓	SIKOSTENASK100
100x195	6	✓	SIKOSTENASK100S

profile for niche - clear glass (T) SIKOPROFILSK

profile for niche - glass strips (S) SIKOPROFILSKS

extension profile, 25 mm NDUNIVROZP

Top Glass New





Shower stall -Top Glass New

chrome profile transparent glass (T), R 550


cm	cm	cm	mm		
90x90	88-88,5	8	✓	SIKOTGS90CRT	
100x100	98-98,5	8	✓	SIKOTGS100CRT	



Shower doors single-leaf ,revolving (without a side wall)

chrome profile transparent glass (T) adjustability (N) niche (R) corner

cm	N cm	R	mm		
80x195	76-76,5	8	✓	SIKOTGD80CRT	
90x195	86-86,5	8	✓	SIKOTGD90CRT	
100x195	96-96,5	8	✓	SIKOTGD100CRT	
Profile required for niche location				SIKOPROFILTGD	



Side wall fixed

chrome profile transparent glass (T)

cm	cm	mm		
77x195	76-76,5	8	✓	SIKOTGSTENA80
87x195	86-86,5	8	✓	SIKOTGSTENA90
97x195	96-96,5	8	✓	SIKOTGSTENA100



We recommend the combination with the side wall directly on the pavement.

Stream





Stream

chrome profile transparent glass (T), R 550

cm	cm	cm	mm		
90x90	87-89	73	8	✓	SIKOSTREAMS90CRT
100x100	97-99	73	8	✓	SIKOSTREAMS100CRT
extension profile 25 mm		NDUNIVROZP			



Cast marble trays with covered waste

Taps

Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories

Cast marble trays with covered waste




Shower tray cast marble R 550

80 x 80 x 3	SIKOLIMCC80S
90 x 90 x 3	SIKOLIMCC90S
100 x 100 x 3	SIKOLIMCC100S

Panel for quarter-round bath
SAT LIMCC acrylic
SIKOLIMCCPS



Pack includes tray + corner cap
+ feet + ESLIM90 siphon




Shower tray cast marble

80 x 80 x 3	SIKOLIMCC80Q
90 x 90 x 3	SIKOLIMCC90Q
100 x 100 x 3	SIKOLIMCC100Q

Panel for square bath SAT LIMCC acrylic
80 + 90 cm
SIKOLIMCCP8090Q
100 cm
SIKOLIMCCP100Q



Pack includes tray + corner cap
+ feet + ESLIM90 siphon




Shower tray cast marble

100 x 80 x 3	SIKOLIMCC10080
100 x 90 x 3	SIKOLIMCC10090
120 x 80 x 3	SIKOLIMCC12080
120 x 90 x 3	SIKOLIMCC12090
140 x 80 x 3	SIKOLIMCC14080
140 x 90 x 3	SIKOLIMCC14090

Panel for square bath SAT LIMCC acrylic
100 x (80 + 90 cm)
120 x (80 + 90 cm)
SIKOLIMCCP8090Q
140 x (80 + 90 cm)
SIKOLIMCCP140Q



Pack includes tray + corner cap
+ feet + ESLIM90 siphon



Cast marble trays

Taps

Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories

Cast marble trays





Shower tray panel)
LIMP80S, LIMP90S, LIMP100S

Shower tray cast marble R 550

80 x 80 x 3	LIMNEW80S
90 x 90 x 3	LIMNEW90S
90 x 90 x 3	LIMNEW90S500
100 x 100 x 3	LIMNEW100S



Including legs,
without siphon \varnothing 90 mm
Recommended:
(E484CR90, ESLIMCR90, ETURTB090)





Shower tray panel)
LIMP80Q, LIMP90Q, LIP100Q,

Shower tray cast marble

80 x 80 x 3	LIMNEW80Q
90 x 90 x 3	LIMNEW90Q
100 x 100 x 3	LIMNEW100Q





Including legs,
without siphon \varnothing 90 mm
Recommended:
(E484CR90, ESLIMCR90, ETURTB090)



Shower tray panel
LIMP10080L, LIMP10080P,
LIMP10090L, LIMP10090P,
LIMP12080L, LIMP12080P,
LIMP12090L, LIMP12090P



Including legs,
without siphon \varnothing 90 mm
Recommended:
(E484CR90, ESLIMCR90, ETURTB090)



Shower tray cast marble

100 x 80 x 3	LIMNEW10080	
120 x 80 x 3	LIMNEW12080	
140 x 80 x 3*	LIMNEW14080	the facing panel for this tray is not made
160 x 80 x 3*	LIMNEW16080	the facing panel for this tray is not made
100 x 90 x 3	LIMNEW10090	
120 x 90 x 3	LIMNEW12090	
140 x 90 x 3*	LIMNEW14090**	the facing panel for this tray is not made
160 x 90 x 3*	LIMNEW16090**	the facing panel for this tray is not made

Shortenable shower trough



 Swire
Aqua
Technologies

Shortenable shower trough




Shower trough SAT Flexi 100 cm
polished stainless steel
SATAZ100ZL



Shower tray SAT Flexi 100
cm brushed stainless steel
SATAZ100ZM



Shortenable length 30-100 cm.
Including grate, siphon and strainer.
Freely rotating siphon with drain DN 40 and 50.
Adjustable height according to the floor thickness.
Easy and fast installation.



Washbasins and toilets





Brevis





Washbasin SAT Brevis
centre tap hole
50,5 x 40 x 14 cm, SATBRE5040S
60x 45 x 13 cm, SATBRE6045S
70 x 45 x 13,5 cm, SATBRE7045S




Washbasin SAT Brevis
40,5 x 20,5 x 10,5 cm faucet hole right SATBRE4020SR
40,5 x 20,5 x 10,5 cm faucet hole left SATBRE4020SL




Washbasin SAT Brevis
50 x 38,5 x 12 cm
without overflow
SATBRE5038R




Washbasin SAT Brevis
43 x 30 x 13 cm
without overflow
SATBRE4330R



Toilet combi set SAT Brevis vario waste
SATBRE031RREXP



SAT Brevis toilet combi set
including softclose washbasin, vario waste
SATBRE030RREXP



SAT Brevis wall-mounted WC
including softclose washbasin, rear waste
SATBRE010RREXP

Infinitio





SAT Infinitio countertop washbasin without tap hole
61,5 x 36 x 15,5 cm

LSK glossy surface

○ SATINF61536

MAT matte surface

○ SATINF61536M

● SATINF61536BKM



SAT Infinitio countertop washbasin without overflow
60 x 40 x 12,5 cm

LSK glossy surface

○ SATINF6040

MAT matte surface

○ SATINF6040M

● SATINF6040BKM



SAT Infinitio countertop washbasin without mixer hole
38,5 x 38,5 x 12 cm

MAT matte surface

○ SATINF3939M

● SATINF3939PM

● SATINF3939LBLM

● SATINF3939LGEM

● SATINF3939LBRM

● SATINF3939LGRM

● SATINF3939BKM

LSK glossy surface

○ SATINF3939



SAT Infinitio countertop washbasin without overflow
50 x 39 x 13 cm

MAT matte surface

○ SATINF5039M

● SATINF5039PM

● SATINF5039LBLM

● SATINF5039LGEM

● SATINF5039LBRM

● SATINF5039LGRM

● SATINF5039LBLM

LSK glossy surface

○ SATINF5039



SAT Infinitio countertop washbasin without overflow
50 x 40 x 11 cm

MAT matte surface

○ SATINF5040M

● SATINF5040PM

● SATINF5040DBLM

● SATINF5040DGEM

● SATINF5040LGRM

● SATINF5040BKM

LSK glossy surface

○ SATINF5040



SAT Infinitio countertop washbasin without overflow
45,5 x 32,5 x 13,5 cm

MAT matte surface

○ SATINF4532M

● SATINF4532PM

● SATINF4532DBLM

● SATINF4532DGEM

● SATINF4532LGRM

● SATINF4532BKM

LSK glossy surface

○ SATINF4532



SAT Infinitio countertop washbasin without tap hole
36 x 36 x 12 cm

LSK glossy surface

○ SATINF3636



Flow-through basin spout
SAT Infinitio 5/4"

LSK glossy surface

○ PZATKAWH



MAT matte surface

○ PZATKAWHM ● PZATKADGEM

● PZATKAPM ● PZATKALBRM

● PZATKALBLM ● PZATKAGRM

● PZATKALGEM ● PZATKABKM

● PZATKADBLM

Infinio

Taps

Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories



SAT Infinio
Back waste toilet with softclose tray

LSK glossy surface MAT matte surface



LSK ○ SATINF010RREXP




MAT ○ SATINF010RREXPWM



MAT ● SATINF010RREXP LGRM



MAT ● SATINF010RREXP BKM



Bidet seat



SAT softclose bidet seat
SATBEASY2233



- Softclose
- Fits on most standard toilets
- Made from recyclable material
- Including SUS hose and T-connection




Application


For mounting in front of a support wall or in to a plasterboard construction.
For installation of wall-hung WC pans with a connecting pitch of 180 mm or 230 mm.
For floor thickness 0–200 mm.
For wall-hung WC.

Features

- Dual flush independently adjustable with hygienic reserve
- Compatible with all SAT flush plates
- The construction of polystyrene insulation prevents condensation forming on the surface of the tank and dampens the vibrations from the tank into the building structure
- The frame allows the anchoring to a separate sufficiently strong plasterboard partition, in front of the bearing wall
- The service opening cover simplifies assembly and prevents the penetration of moisture and impurities
- Frame material: powder-coated metal
- Installation depth adjustable from 20–95 mm
- Suitable for installation of remote or sensor flushing
- Possibility of tilting the cistern for easy installation in wooden construction buildings or mobile cells
- The cistern is made of one piece, thus ensuring 100% impermeability
- The installed module is covered with a plasterboard panel and there is no need for any additional fixing or anchoring elements
- Adjustable anchor feet and a spring-lock system, with a range of 0–200 mm
- Dispenser for WC cistern tablets included
- Sliding rail holder for the waste connector can be set to eight positions between 0–93 mm
- Prepared for connecting a bracket with a DG 1/2" conversion for bidet seats and sprays
- Water supply from the rear/top
- Angle valve with the ability to connect to the Mepla piping system
- Maintenance work without using any tools
- Installation depth 125 mm
- Visible marks for both leveling and the centerline
- Cistern hinges made of two-component material insulate the transmission of vibrations from buildings





Pre-wall installation system for dry build up (plasterboard)
SATAMS 128,30€



Pre-wall installation system for dry build up (plasterboard)
SATAMSK 128,30€



 **The system contains a toilet tablet dispenser**



Flush plates



plastic white gloss
SATAT20



plastic chrome gloss
SATAT21



plastic black matt
SATAT68



plastic white/chrome gloss
SATAT70



plastic chrome matt
SATAT71



plastic white-matt/chrome gloss
SATAT76



plastic black matt
SATAT78



Dark PVD Gun Metal
SATATDA



Bathroom accessories



Project

Taps



Shower systems



Hook
chrome
SATDPROJ21



Soap dispenser
chrome/milk glass
SATDPROJ39

Bathtubs



Glass holder including glass
chrome/milk glass
SATDPROJ27



Soap dispenser
chrome/white
SATDPROJ99

Shower enclosures



Towel holder
chrome
SATDPROJ61



Toilet paper holder
chrome
SATDPROJ26

Washbasins and toilets



Toilet brush
chrome/milk glass
SATDPROJ37



Towel holder
chrome
SATDPROJ23



Towel holder
chrome
SATDPROJ18

Bathroom accessories



Hook
SPI21



Double hook
SPI22



Glass holder,
SPI47



Soap dispenser
SPI39



Soap dispenser
SPI99



Toilet paper holder
SPI25



Toilet paper holder / shelf
DRZTOALPOLSKLOC



Triple hook
SPI33



Toilet paper holder
SPI28



Toilet paper holder
SPI26



Towel holder, 45,5 cm
2 level, SPI19
3 level, SPI20



Toilet brush
SPI37



Shelf 60 cm
SPI24



Towel holder 63 cm
SPI29



Towel holder
43,3 cm, SPI31
63,6 cm, SPI95

Evolution R

Taps



Shower systems



Bathtubs



Shower enclosures



Washbasins and toilets



Bathroom accessories



Hook
chrome
SATDUNI21



Glass holder including glass
chrome/milk glass
SATDEVOR27



Soap dispenser
chrome/milk glass
SATDEVOR99



Toilet paper holder
chrome
SATDEVOR26



Soap dispenser
chrome/milk glass
SATDEVOR39




Towel holder
chrome
SATDEVOR60



Towel holder
chrome
SATDEVOR07



Toilet brush
chrome/milk glass
SATDEVOR37



Towel holder
chrome
SATDEVOR18



Towel holder
chrome
SATDEVOR23



Hook
chrome
SATDUNI21



Glass
milk glass
SATDEVOSK1



Soap dispenser
chrome/milk glass
SATDEVOSDAV



Soap dispenser
milk glass
SATDEVOSMYD



Holder
chrome
SATDEVOSP02



Holder
chrome
SATDEVOSP03



Holder
chrome
SATDEVOS01



Holder
chrome
SATDEVOS02



Holder
chrome
SATDEVOS03




Toilet paper holder
chrome
SATDEVOS26



Towel holder
chrome
SATDEVOS07



Toilet brush
chrome/milk glass
SATDEVOS37



Towel holder
chrome
SATDEVOS19



Towel holder
chrome
SATDEVOS23



Taps

Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories

Simply R

Taps



Shower systems



Bathtubs



Shower enclosures



Washbasins and toilets

Bathroom accessories



Hook
chrome
SATDUNI21



Glass holder
chrome/milk glass
SATDSIMR27



Glass
milk glass
SATDSIMRSL



Soap dispenser
milky glass
SATDSIMRMYD



Soap dispenser
chrome/milk glass
SATDSIMR99




Soap dispenser
chrome/milk glass
SATDSIMRDAV



Toilet paper holder
chrome
SATDSIMR26



Towel holder
chrome
SATDSIMR23




Towel holder
chrome
SATDSIMR19



Toilet brush
chrome/milk glass
SATDSIMR37



Holder
chrome
SATDSIMR04



Holder
chrome
SATDSIMR05



Hook
chrome
SATDSIMS21



Glass Holder Including glass
chrome/milk glass
SATDSIMS27



Soap dispenser
chrome/milk glass
SATDSIMS39




Soap dispenser
chrome/milk glass
SATDSIMS48



Soap dispenser
chrome/milk glass
SATDSIMS99




Toilet paper holder
chrome
SATDSIMS26



Towel holder
chrome
SATDSIMS07



Toilet brush
chrome/milk glass
SATDSIMS37



Towel holder
chrome
SATDSIMS19



Towel Holder
chrome
SATDSIMS23



Taps

Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories

Simply R PVD gun metal

Taps



Shower systems



Bathtubs



Shower enclosures



Washbasins and toilets

Bathroom accessories



Hook
PVD gun metal
SATDUNI21GM



Glass soap dispenser
PVD gun metal/milk
SATDSIMR99GM



Soap dispenser
PVD PVD gun metal/milk glass
SATDSIMRDAVGM



Glass
milk glass
SATDSIMRSKL



Glass holder
PVD gun metal/milk glass
SATDSIMR27GM



Soap dispenser
milky glass
SATDSIMRMYD



Toilet paper holder
PVD gun metal
SATDSIMR26GM




Towel holder
PVD gun metal
SATDSIMR23GM



Toilet brush
PVD gun metal/milk glass
SATDSIMR37GM



Towel holder
PVD gun metal
SATDSIMR19GM



Holder
PVD gun metal
SATDSIMR04GM

Hooks without drilling



Hook
black
HACEKNALEPIHMC



Double hook
black
HACEKNALEP2HMC



Hook
black
HACEKNALEPIKMC



Double hook
black
HACEKNALEP2KMC



Hook
stainless steel
HACEKNALEPIH



Double hook
stainless steel
HACEKNALEP2H



Triple hook
stainless steel
HACEKNALEP3H



Quadruple
stainless steel
HACEKNALEP4H



Hook
stainless steel
HACEKNALEPIK



Double hook
stainless steel
HACEKNALEP2K



Triple hook
stainless steel
HACEKNALEP3K



Quadruple
stainless steel
HACEKNALEP4K

Non-contact soap dispensers and disinfectants



Sensor soap and disinfectant
dispenser
black
SATDDAVC



Sensor soap and disinfectant
dispenser
white
SATDDAVB



Shower shelves

Taps

Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories



Shelf 30 cm
chrome
SATDPOL30CH



Shelf 20 cm
chrome
SATDPOL20CH



Shelf 30 cm
black SATDPOL30MC



Shelf 20 cm
black
SATDPOL20MC



Shelf
black
SATDPOLMC



Shelf
chrome/white
SATDPOLCHB



Shelf
chrome/black
SATDPOLCHC



Corner shelf
black
SATDPOLROHMC



Corner shelf
chrome/white
SATDPOLROHCHB



Corner shelf
chrome/black
SATDPOLROHCHC



Choose your X-Way shelf in three steps:

1 Shelf



Shelf
white
SATDXWPOL50B



Shelf
black
SATDXWPOL50C



Shelf
white
SATDXWPOL30B, *



Shelf
black
SATDXWPOL30C, *



Corner shelf
white
SATDXWPOLR21B



Corner shelf
black
SATDXWPOLR21C



Corner shelf
white
SATDXWPOLR23B *



Corner shelf
black
SATDXWPOLR23C *

2 Handles



Handles for shelf
chrome
SATDXWWICH



Handles for shelf
chrome
SATDXWW2CH



Handles for shelf
black
SATDXWWIMC



Handles for shelf
black
SATDXWW2MC



Handles for shelf
PVD gun metal
SATDXWWIGM




Handles for shelf
PVD gun metal
SATDXWW2GM

3 Squeegee

(can be used in shelves marked with *)




SAT X-Way chrome glass squeegee
SATDXWSTERKACH ✕



Freestanding accessories Infinito

Taps



Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories



Infinito turquoise ceramics

soap dispenser	SATDINF199TY
soap dish	SATDINF139TY
brush holder	SATDINF127TY
toilet brush	SATDINF137TY



Infinito white ceramics

soap dispenser	SATDINF199BI
soap dish	SATDINF139BI
brush holder	SATDINF127BI
toilet brush	SATDINF137BI



Infinito black ceramics

soap dispenser	SATDINF199CE
soap dish	SATDINF139CE
brush holder	SATDINF127CE
toilet brush	SATDINF137CE



Infinito beige ceramics

soap dispenser	SATDINF199BE
soap dish	SATDINF139BE
brush holder	SATDINF127BE
toilet brush	SATDINF137BE



Infinito pink ceramics

soap dispenser	SATDINF199RU
soap dish	SATDINF139RU
brush holder	SATDINF127RU
toilet brush	SATDINF137RU



Infinito gray ceramics

soap dispenser	SATDINF199SE
soap dish	SATDINF139SE
brush holder	SATDINF127SE
toilet brush	SATDINF137SE

Recommended for Infinito washbasin.

We recommend Infinito bath mats.



Hanging hook
black matt
SATWIHACEK
stainless steel
SATWIHACEK

Hanging hook for shower
screen SAT Walk-In
plastic clear
SATWIHACEKPLAST

Hanging shelf
transparent
SATPOLPLASTT



Shower stool freestanding
plastic white
SATSTOLPLASTB®



Shower stool freestanding
plastic black
SATSTOLPLASTC



Shower stool freestanding
plastic transparent
SATSTOLPLASTT



Bathtub shelf
80x1,2x20 cm
transparent
SATPOLVANPLASTT80



Sliding adjustable shelf for bathtub
bamboo
POLICEVANBA,



Taps

Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories

Bath mat Infinitio

Taps



Shower systems

Bathtubs

Shower enclosures

Washbasins and toilets

Bathroom accessories



Bathroom mat
dark grey 50 x 80 cm
SATDPRED01SC



Bathroom mat
beige 50 x 80 cm
SATDPRED02BE



Bathroom mat
purple 50 x 80 cm
SATDPRED03FI



Bathroom mat
dark green 50 x 80 cm
SATDPRED04TZ



Bathroom mat
light grey 50 x 80 cm
SATDPRED05SS



Bathroom mat
yellow 50 x 80 cm
SATDPRED06ZL

Laundry baskets



Laundry basket
white
SATDKOSPRB



Laundry basket
natural
SATDKOSPRBN



Laundry basket
grey
SATDKOSPRBS



Laundry basket
black
SATDKOSPRC1



Laundry basket
black
SATDKOSPRC2



Laundry basket
grey
SATDKOSPRTS1



Laundry basket
grey
SATDKOSPRTS2



Laundry basket
natural
SATDKOSPRN



Laundry basket
grey
SATDKOSPRS








Contacts

Head Office

Swiss Aqua Technologies AG

Gewerbestrasse 9
6330 Cham
Switzerland

www.swatec.ch



SAT Sales Representatives



Mats Dannerstedt

Partner – VP sales & Marketing
Export - Central and North America
+1 949 302 0869
matsdannerstedt@gmail.com



Michal Kolda

Partner – VP sales & Marketing
Export - Europe
+420 606 233 076
michal.kolda@swatec.ch



Pavel Prokeš

Partner - Export
Export - South Europe and South America
+420 601 322 817
pavel.prokes@siko.es



Dima Švec

Export – Central and Eastern Europe
+420 739 387 377
dima.svec@siko.cz



Alp Eralp

Export – Middle East and India
+90 532 543 37 91
alperalp@sanitarycontacts.com



Marek Dabrowski

Export – Asia
+86 137 0258 1956
marek@mf-mafen.com



David Bratsovsky


Export – Australia
+61 401631135
david.bratsovsky@swatec.ch



Lars Andersson

Export – Scandinavia
+ 46-708-22 55 51
lars@aquanorden.se
info@aquanorden.se


Certificates



Awards



Studio S Low Profile
Studio S Toilet
with OptimFlush
System technology



swatec.ch